

COLLARD & ROE, P.C.
PATENT, TRADEMARK & COPYRIGHT ATTORNEYS
1077 Northern Boulevard
Roslyn, New York 11576
(516) 365-9802
FAX (516) 365-9805

FACSIMILE TRANSMISSION

DATE: February 28, 2005

NO. OF PAGES INCLUDING COVER PAGE: 17

TO: Examiner T Nguyen
Group: 3751

FAX NO.: (703) 872-9306

FROM: William C. Collard
Reg. No. 38,411

RE: U.S. Serial No. 10/674,717
Applicant: KERAMIDAS
(Our Reference: KERAMIDAS - 1)


RECEIVED
CENTRAL FAX CENTER
FEB 28 2005

If you do not receive all of the pages, please call the above phone number as soon as possible.

MESSAGE:

Enclosed is an Amendment in response of the First Office Action, along with a petition for a one month extension of time. Please confirm receipt by facsimile at your earliest convenience. Thank you.

Sincerely yours,
COLLARD & ROE, P.C.


William C. Collard

Reg. No. 38,411

WCC:ea

Enclosures

This message is intended only for the use of the addressee, and may contain material which is privileged and confidential. If you are not the intended recipient, dissemination of this communication is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone. Thank you.

PATENTSIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: KERAMIDAS - 1

SERIAL NO: 10/674,717

EXAMINER: T. Nguyen

FILED: September 30, 2003

GROUP: 3751

TITLE: DEVICE FOR DISPENSING A LIQUID ACTIVE SUBSTANCE

RECEIVED
CENTRAL FAX CENTER
FEB 28 2005

AMENDMENT IN RESPONSE TO FIRST OFFICE ACTION

MAIL STOP AMENDMENT
 Honorable Commissioner of Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

Dear Sir:

In response to the First Office Action dated November 03, 2004 with the due date for response being February 03, 2005 with the time period being extended to March 3, 2005 with a one month extension of time, please amend the above-identified patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 9 of this paper.